



PVC
給水用

PVC 塑膠厚零件[O]

()%

呎 吋	90° L	45° L	正 T	順 水 R	斜 T(Y)	接 頭 S	閥 接 MS	管 帽 CP	法 蘭 FG
3/8"	4.0		5.0			4.0	4.0	3.5	
1/2"	5.0	5.0	6.5			4.5	4.0	3.5	40.0
3/4"	6.0	6.0	8.0			5.0	5.0	4.0	48.0
1"	10.0	10.0	13.0			7.5	7.0	6.0	64.0
1 1/4"	15.0	15.0	19.0			12.0	11.0	7.0	90.0
1 1/2"	20.0	18.0	28.0	38.0	44.0	17.0	14.0	11.0	96.0
2"	33.0	29.0	44.0	56.0	62.0	25.0	21.0	17.0	106.0
2 1/2"	48.0	38.0	65.0	78.0		34.0	30.0	28.0	130.0
3"	75.0	60.0	95.0	125.0	125.0	54.0	42.0	40.0	160.0
3 1/2"	115.0	86.0	160.0			70.0		60.0	
4"	150.0	120.0	185.0	250.0	240.0	110.0	80.0	93.0	220.0
5"	220.0	200.0	300.0	420.0	400.0	155.0	160.0	135.0	340.0
6"	400.0	340.0	520.0	570.0	670.0	330.0	300.0	230.0	450.0
8"	740.0	720.0	1,600.0	1,200.0	1,350.0	700.0		420.0	700.0
10"	2,300.0	1,800.0	3,000.0			1,500.0			1,600.0
12"									2,400.0

PVC 厚異徑零件[O]

規 格	正 OT	大 小 OS	規 格	順 水 OR	斜 OY
3/4 × 1/2	8.0	5.0	2 × 1 1/2	46.0	58.0
1 × 1/2	11.0	7.0	3 × 2	90.0	90.0
1 × 3/4	11.0	7.5	4 × 2	155.0	155.0
1 1/4 × 1/2	15.0	9.0	4 × 3	200.0	195.0
1 1/4 × 3/4	15.0	11.0	5 × 2		270.0
1 1/4 × 1	17.0	12.0	5 × 3	280.0	300.0
1 1/2 × 1/2	21.0	13.0	5 × 4	360.0	350.0
1 1/2 × 3/4	23.0	14.0	6 × 2	390.0	380.0
1 1/2 × 1	24.0	15.0	6 × 3	420.0	420.0
1 1/2 × 1 1/4	26.0	16.0	6 × 4	440.0	450.0
2 × 1/2	30.0	18.0	6 × 5	520.0	570.0
2 × 3/4	32.0	19.0	8 × 2	850.0	800.0
2 × 1	35.0	21.0	8 × 3	890.0	860.0
2 × 1 1/4	38.0	22.0	8 × 4	960.0	930.0
2 × 1 1/2	40.0	24.0	8 × 6	1,150.0	1,250.0
2 1/2 × 1 1/2	50.0	30.0	10 × 6	2,400.0	2,500.0
2 1/2 × 2	57.0	34.0			
3 × 1	62.0		電 用 大 月 彎 E T		
3 × 1 1/2	70.0	42.0			
3 × 2	84.0	44.0	呎 吋	南 亞 規 格	電 力 規 格
3 × 2 1/2	92.0	46.0	1/2"	10.0	
4 × 1 1/2	130.0	70.0	3/4"	14.0	
4 × 2	135.0	88.0	1"	24.0	56.0
4 × 3	160.0	100.0	1 1/4"	38.0	78.0
5 × 3	230.0	145.0	1 1/2"	52.0	122.0
5 × 4	270.0	150.0	2"	82.0	220.0
6 × 3	340.0	210.0	2 1/2"	120.0	300.0
6 × 4	390.0	240.0	3"	220.0	480.0
6 × 5	490.0	260.0	4"	420.0	840.0
8 × 4	950.0	600.0	5"	600.0	1,600.0
8 × 5		600.0	6"	800.0	2,000.0
8 × 6	1,100.0	600.0	8"	1,800.0	
10 × 8		1,300.0			